

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Currently Amended) A protective device for a load branch circuit, comprising:
a first protective element to provide motor protection and line protection; and
an integral second protective element, including a fuse, to provide short-circuit protection, wherein the second protective element is designed to provide overload protection for an electronic switching device.
2. (Cancelled)
3. (Previously Presented) The protective device as claimed in claim 1, wherein the fuse is transferrable from its operating position into a maintenance position.
4. (Previously Presented) The protective device as claimed in claim 3, further comprising:
a locking mechanism to secure the maintenance position.
5. (Previously Presented) The protective device as claimed in claim 1, further comprising:
an auxiliary switch to signal the status of the fuse.
6. (Previously Presented) The protective device as claimed in claim 1, wherein the first protective element includes an overload relay.

7. (Previously Presented) The protective device as claimed in claim 1, wherein a trip response of the first protective element is coordinated with the rating of a switching device.
8. (Currently Amended) An arrangement comprising:
a protective device as claimed in claim 1; and
a switching device, wherein the protective device and the switching device include widths of the same standard installation dimensions.
9. (Currently Amended) The protective device as claimed in ~~claim 2~~claim 1, wherein the fuse is transferable from its operating position into a maintenance position.
10. (Currently Amended) The protective device as claimed in ~~claim 2~~claim 1, further comprising:
an auxiliary switch to signal the status of the fuse.
11. (Currently Amended) A protective device for a load branch circuit, comprising:
first means for providing motor protection and line protection; and
an integral second means, including a fuse, for providing short-circuit protection, wherein the second means is designed to provide overload protection for an electronic switching device.
12. (Cancelled)

13. (Previously Presented) The protective device as claimed in claim 11, wherein the fuse is transferable from its operating position into a maintenance position.

14. (Previously Presented) The protective device as claimed in claim 13, further comprising:
means for securing the maintenance position.

15. (Currently Amended) The protective device as claimed in claim 11, further comprising:
means for ~~signalling~~signaling the status of the fuse.

16. (Previously Presented) The protective device as claimed in claim 11, wherein the first means includes an overload relay.

17. (Previously Presented) The protective device as claimed in claim 11, wherein a trip response of the first means is coordinated with the rating of a switching device.

18. (Currently Amended) An arrangement comprising:
a protective device as claimed in claim 11; and
a switching device, wherein the protective device and the switching device include
widths of the same ~~standard installation~~ dimensions.

19. (Currently Amended) The protective device as claimed in ~~claim 12~~claim 11, wherein the fuse is transferable from its operating position into a maintenance position.

20. (Currently Amended) The protective device as claimed in ~~claim 12~~claim 11, further comprising:

means for ~~signalling~~signaling the status of the fuse.